

The journal *Forum geografic. Studii de geografie și protecția mediului* (Geographical Forum – Geographical Studies and Environment Protection Research) was founded in 2002, and it seeks to publish high quality research in the domains of geography, environment protection and other related domains. It addresses a range of issues, such as geomorphology, pedology, climatology, hydrology, human geography and environment. Its content is directed to a broad audience, including both academics and policymakers. The

papers selected for publication in the journal are subject to a review process using references from universities worldwide.

The journal is currently indexed by the following databases: DOAJ, EBSCO, Index Copernicus, Scipio, CrossRef, Ulrichsweb, IGU, Google Scholar, WorldCat, ProQuest, ZDB, CNCSIS, DRJI, citefactor.org journals indexing, InfoBase index, ERIH PLUS, Eurasian Scientific Journal Index, ResearchBib.

### Associate Editors:

Péter BAJMÓCY, Department of Economic and Human Geography, University of Szeged, H-6722 Szeged, Egyetem u. 2. Hungary

Slavoljub DRAGIĆEVIĆ, Faculty of Geography, Belgrade University, Studentski trg 3/3, Belgrade, Serbia

Vesna LUKIĆ, Demographic Research Centre, Institute of Social Sciences, Kraljice Natalije 45, Belgrade, Serbia

Nina NIKOLOVA, Faculty of Geology and Geography, "St. Kliment Ohridsky" University of Sofia, Tzar Osvoboditel Blvd. 15, Sofia, Bulgaria

### Editorial Advisory Board:

Lucian BADEA, *The Institute of Geography, The Romanian Academy*

Dan BĂLTEANU, *The Institute of Geography, The Romanian Academy*

Zeljko BJELJAC, *Geographical Institute Jovan Cvijić, Serbia*

Sandu BOENGIU, *University of Craiova, Romania*

Léon BRENIĞ, *University of Brussels, Belgium*

Pompei COCEAN, *Babeș-Bolyai University, Romania*

Lóczy DÉNES, *University of Pécs, Hungary*

Philippe DONDON, *Ecole Nationale Supérieure d'Electronique, Informatique, Telecommunications, Mathematique et Mecanique de Bordeaux / Institut Polytechnique de Bordeaux, France*

Dan DUMITRIU, *A.I.Cuza University, Iași, Romania*

Szabolcs Ákos FÁBIÁN, *University of Pécs, Hungary*

Robert FOVELL, *University of California, USA*

Adrian Grozavu, *A.I.Cuza University, Iași, Romania*

Nelly HRISTOVA, *St. Kliment Ohridsky University of Sofia, Bulgaria*

Ioan IANOȘ, *University of Bucharest, Romania*

Oana MITITELU IONUȘ, *University of Craiova, Romania*

Laura COMĂNESCU, *University of Bucharest, Romania*

Emil MARINESCU, *University of Craiova, Romania*

Mirela MAZILU, *University of Craiova, Romania*

Ciprian MĂRGĂRINT, *A.I.Cuza University, Iași, Romania*

Alexandru NEDELEA, *University of Bucharest, Romania*

Zvi Yehoshua OFFER, *Ben-Gurion University, Israel*

Maria PĂTROESCU, *University of Bucharest, Romania*

Aurel PERȘOIU, *Emil Racovita Institute of Speleology, Romanian Academy*

Liliana POPESCU, *University of Craiova, Romania*

Kumar Rai PRAVEEN, *Banaras Hindu University, India*

Maria RĂDOANE, *Ștefan cel Mare University, Romania*

Milan RADOVANOVIĆ, *Geographical Institute Jovan Cvijić, Serbia*

Recep EFE, *Balikesir University, Turkey*

Khaiwal RAVINDRA, *School of Public Health, PGIMER, Chandigarh, India*

Daniela ROȘCA, *University of Craiova, Romania*

Magdy TORAB, *Alexandria University, Egypt*

Marcel TÖRÖK – OANCE, *West University of Timișoara, Romania*

Alfred VESPREMEANU-STROE, *University of Bucharest, Romania*

Cristiana VÎLCEA, *University of Craiova, Romania*

Alina VLĂDUȚ, *University of Craiova, Romania*

Nenad ŽIVKOVIĆ, *Belgrade University, Serbia*

Martina ZELENKOVA, *Technical University of Kosice, Slovakia*

Zbigniew ZWOLIŃSKI, *Adam Mickiewicz University (Poznan), Poland*

**Editor-in-chief:** Sandu BOENGIU, Geography Department, University of Craiova, 13, Al. I. Cuza Street, Craiova, Romania

**Executive editor:** Liliana POPESCU, Geography Department, University of Craiova, 13, Al. I. Cuza Street, Craiova, Romania

**Assistant Editors:** Amalia BĂDIȚĂ, Cristina MARA, Mihaela LICURICI, Daniel SIMULESCU, University of Craiova, 13, Al. I. Cuza Street, Craiova, Romania

**Founding Editors:** Boengiu S., Marinescu E., Pleniceanu V., Tomescu V., Enache C.

**Cover photo:** *The soil water balance plots, Voinești Experimental Basin, 2016 (photo Gabriel MINEA)*

**For instructions for authors, subscription and all other information please visit our website**

<http://forumgeografic.ro>

**before submitting any papers please select the section *Publishing rules* from the About page and read thoroughly the submission instructions for authors**

ISSN 1583-1523 (print)  
ISSN 2067-4635 (online)  
DOI prefix: 10.5775

## Instructions for Authors

### Article submission

In order to disseminate the research results in the field, researchers, scholars and professionals are welcome to submit an electronic version of the manuscript (in Microsoft Office Word format) to the editorial office (forum.geografic@gmail.com).

**Submission requirements:** The submission of an article for publication in our journal implies that the article has not been published before, nor it is being considered for publication in other journals. Authors are responsible for the content and the originality of their contributions. In order to be published, articles must be thoroughly researched and referenced.

**IMPORTANT: All papers must be submitted in electronic format, only in English language.**

### Copyright statement

By submitting a scientific work to *Forum geografic* the submitters agree to declare the following:

- the submitted work belongs exclusively to the declared authors;
- the submitted work represents original scientific research;
- the submitted work has not been published or submitted for publishing to another journal;
- if the submitted work is published or selected for publishing in *Forum geografic*, the authors waive any patrimonial claims derived from their authorship for the submitted work; the authors retain the moral rights for their submitted work, as granted under the Romanian applicable law; also, the authors agree to refrain from ulterior submitting of the work to other journals.

The submitters agree to be solely held accountable in case of breaching the above terms and to defend the representatives of *Forum geografic* in the event of a lawsuit related to the submitted work.

When submitting a paper the authors are required to print, fill and send a scanned copy of this declaration.

### Privacy statement

The submitted personal data, such as names or email addresses, are used only for the declared purpose of the *Forum geografic* journal (publishing original scientific research) and are not available to third parties.

Manuscripts are received at all times. However, in order to have your article published in the current year, the manuscripts must be submitted until the 15<sup>th</sup> of February for the first issue of the current year and until the 1<sup>st</sup> of September for the second issue.

### Article format

All manuscripts must be edited entirely in English. Articles must include:

- Title
- Author's name(s). For each author you must mention the author's scientific title, his affiliation (institution) and e-mail address;

- Abstract (maximum 300 words);
- Keywords (not more than 5-6 words);
- Acknowledgments (if any);
- Main body of text (structured according to Introduction, Data & Methods, Results & Discussions, Conclusions);
- Illustrations (graphs, diagrams, maps, photos – should have indications of their positions in the text and title written in English) must be also submitted in electronic format, preferably in JPG, PNG or BMP format and must be referred to as Figures, which should be numbered with Arabic numbers.
- Tables must be numbered with Arabic numbers and should not repeat data available elsewhere in the text.
- References must be indicated in the text, between brackets and they must include the author's name and the date of the publication (Popescu, 2000). When three or more authors are referred, they will appear in the text as follows: (Popescu et al., 1997). References must be listed in alphabetical order at the end of the text.

The following style sheet is recommended:

- for journals:

Miletić, R., Lukić, V., & Miljanović, D. (2011). Deindustrialization and structural changes in commuting flows in Serbia. *Forum geografic*, X(2), 244-254. doi:10.5775/fg.2067-4635.2011.009.d

- for books:

Bran, F., Marin, D., & Simion, T. (1997). Turismul rural. Modelul european, Editura Economică, București

- for papers from conference proceedings:

Deci, E. L., Ryan, R. M., (1991), A motivational approach to self: Integration in personality. In R. Dienstbier (Ed.), *Nebraska Symposium on Motivation: Vol. 38. Perspectives on motivations* (pp. 237-288). Lincoln: University of Nebraska Press.

### Review process

All the manuscripts received by the editors undergo an anonymous peer review process, necessary for assessing the quality of scientific information, the relevance to the field, the appropriateness of scientific writing style, the compliance with the style and technical requirements of our journal, etc. The referees are selected from the national and international members of the editorial and scientific board, as well as from other scholarly or professional experts in the field. The referees assess the article drafts, commenting and making recommendations. This process leads either to acceptance, recommendation for revision, or rejection of the assessed article. Editors reserve the right to make minor editorial changes to the submitted articles, including changes to grammar, punctuation and spelling, as well as article format, but no major alterations will be carried out without the author's approval. Before being published, the author is sent the proof of the manuscript adjusted by editors. If major revisions are necessary, articles are returned to the author so that he should make the proper changes. Authors are notified by email about the status of the submitted.

## CONTENTS

### Supplement

Volume XV, Issue 2 / December 2016

<b>A Special Issue: HYDROLOGICAL BEHAVIOUR IN SMALL BASINS UNDER CHANGING CONDITIONS</b> .....	7
Gabriel MINEA, Gianina NECULAU, João Pedroso de LIMA	
<b>Field assessment of soil water repellency using infrared thermography</b>	
João R.C.B. ABRANTES, João L.M.P. de LIMA, Sérgio A. PRATS, Jacob J. KEIZER .....	12
<b>Effect of changes in groundwater levels on selected wetland plant communities</b>	
Marta BUDZISZ, Roman CIEŚLIŃSKI, Ewa WOŹNIAK .....	19
<b>SWAT model application for simulating nutrients emission from an agricultural catchment in Ukraine</b>	
Valeriy OSYPOV, Nataliia OSADCHA, Volodymyr OSADCHYI .....	30
<b>Evaporation and evapotranspiration in Romania</b>	
Gianina NECUALU, Florentina Iuliana STAN .....	39
<b>Assessment of flash flood hazard maps using different threshold values and indices methods</b>	
Marius MĂTREAȚĂ, Simona MĂTREAȚĂ, Romulus-Dumitru COSTACHE, Andreea MIHALCEA, Andreea Violeta MANOLACHE .....	49
<b>Results of a long-term study on an experimental watershed in southern Italy</b>	
Tommaso CALOIERO, Corrado BIONDO, Giovanni CALLEGARI, Alessio COLLALTI, Raffaele FROIO, Mauro MAESANO, Giorgio MATTEUCCI, Gaetano PELLICONE, Antonella VELTRI .....	55
<b>Measuring and modelling water transport on Skaftafellsheiði, Iceland</b>	
Dijksma ROEL, Avis LISETTE .....	66
<b>Smart Data for ICT-based Water Management</b>	
Mariana MOCANU, Valentin CRISTEA, Ciprian DOBRE, Florin POP .....	73
<b>Field Experimental Studies of the Leaching of Humic Substances from the Peat Soils and Estimation of their Role in Dissolved Iron Transportation</b>	
Natalia OSADCHA, Volodymyr OSADCHYI, Iryna GUZIENKO, Yuriy NABYVANETS, Vladislav ARTEMENKO .....	85
<b>The Influence of Extreme Rainfall on Flow, Soil Moisture, Nutrients and Tracer Pathways</b>	
Alena KULASOVA, Sarka D. BLAZKOVA, Petr PARMA .....	94
<b>HYDROBOD: obtaining a GIS-based hydrological soil database and a runoff coefficient calculator for Lower Austria</b>	
Christian KRAMMER, Klaus KLEBINDER, Alexander EDER, Bernadette SOTIER, Peter STRAUSS, Thomas BAUER .....	100
<b>Pollution load released into the Bay of Gdańsk by small river catchments in the coastal city of Sopot in northern Poland</b>	
Roman CIEŚLIŃSKI, Łukasz PIETRUSZYŃSKI, Marta BUDZISZ, Agata OSSOWSKA, Alicja OLSZEWSKA .....	105
<b>Temporal rainfall properties at events scale in the Curvature Subcarpathians (Romania)</b>	
Gabriel MINEA, Mihaela ILIESCU, Florin DEDU .....	115



## A Special Issue: Hydrological Behaviour In Small Basins Under Changing Conditions

Gabriel MINEA<sup>1\*</sup>, Gianina NECULAU<sup>1,\*\*</sup>, João Pedroso de LIMA<sup>2\*\*\*</sup>

<sup>1</sup> National Institute of Hydrology and Water Management, 97 București - Ploiești Road, Sector 1, 013686, Bucharest, Romania


<sup>2</sup> Marine and Environmental Sciences Centre, Department of Civil Engineering, Faculty of Science and Technology, Universidade de Coimbra, Rua Luís Reis Santos, Pólo II – Universidade de Coimbra, 3030-788 Coimbra, Portugal

Corresponding authors: \* [gabriel.minea@hidro.ro](mailto:gabriel.minea@hidro.ro), \*\* [gianina.neculau@hidro.ro](mailto:gianina.neculau@hidro.ro), \*\*\* [plima@dec.uc.pt](mailto:plima@dec.uc.pt)

### CONFERENCE OVERVIEW

The ERB (The Euromediterranean Network of Experimental and Representative Basins) is an open association of 23 European countries operating and managing well instrumented experimental and representative basins for hydrological and environmental research on a long-term basis.

The main objectives of the network are: i) to establish and maintain relationships between member countries and research teams by means of information exchange, mobility and regular conferences; ii) to initiate and enable co-operation between members and other organizations; iii) to maintain a database of small research and experimental basins (Holko and Miklánek, 2003).



**Fig. 1: Logo of the ERB - The Euromediterranean Network of Experimental and Representative Basins**

In recent years, there has been an increasing interest in hydrological research in small catchments. Current evidence suggests that, only in well-defined small basins, where there are high-quality measurements, is it possible to investigate the complexities of combined physical, chemical, and biological processes (Holko et al., 2015). The scientific and practice importance of small catchments (hillslope, runoff plot), is recognized as a way (natural or simulated) to better understanding hydrological processes (e.g., runoff formation). According to previous source, Braunschweig

Declaration (2009) showed that a strengthened network of hydrological research basins would help to facilitate the synthesis of research required to meet future challenges in water resources management in a changing environment.

Biennial Conference of ERB have a long tradition of 31 years. This special issue of the "Forum geografic. Studii de geografie și protecția mediului" (Geographical Forum – Geographical Studies and Environment Protection Research), hosting the paper of *16<sup>th</sup> Biennial Conference ERB*.

The *16<sup>th</sup> Biennial Conference ERB* was held 5–8 September 2016 in Bucharest, Romania, and was hosted by National Institute of Hydrology and Water Management (NIHWM).

### *16<sup>th</sup> Biennial Conference ERB*

The Conference was organized by National Institute of Hydrology and Water Management and the Romanian Association of Hydrological Sciences. Also, conference secured the support of National Administration "Romanian Waters"; International Association of Hydrological Sciences International Hydrological Program - UNESCO; Technical University of Civil Engineering - Bucharest; the University of Bucharest, Faculty of Geography.

The conference was opened by Daniela RĂDULESCU *Ph.D., Eng.* Director of the NIHWM, Romania and Gheorghe CONSTANTIN director of Department of Water Resources Management, Romanian Ministry of Environment, Water and Forests; Gianina NECULAU *Ph.D.* (NIHWM, Romania), organizer and actual national correspondent ERB; Marius MĂTREAJĂ *Ph.D., Eng.*, president of the Romanian Association of Hydrological Sciences, and Hubert HOLZMANN, *Ph.D., Eng.*, ERB International Co-ordinator (2012-2016) co-chaired the Conference (Fig. 2).

The conference program focused on the theme "*Hydrological behaviour in small basins under changing conditions*". Eighty-four participants representing sixteen countries (Norway, Portugal, Italy, the Netherlands, Luxembourg, Germany, Austria, Poland, Czech Republic, Slovakia, Romania, Ukraine, Turkey, Iran, Lebanon and Brazil) attended the conference.

We have encouraged and sustained (free accommodation and reduced fee) for five PhD-students.

Over three days, sixty-one interesting presentations discussed a wide variety of topics: i) Assessing extreme natural events based on observed data from experimental and representative basins; Evapotranspiration and water circulation in small

basin; ii) Water resources in small basins with changing land use; iii) Rainfall – runoff – relationship in small catchments under changing conditions; iv) Changes in water quality, aquatic ecology, sediment transport, and related issues. At the conference, *Prof. João Pedroso de LIMA Ph.D., Eng.*, was welcomed as the new ERB International Coordinator (2016-2020).



**Fig. 2: Collage of the photographs taken at the 16<sup>th</sup> Biennial Conference ERB, 2016**

A total of 74 abstracts were compiled in the Book of Abstracts: "HYDROLOGICAL BEHAVIOUR IN SMALL BASINS UNDER CHANGING CONDITIONS", of which 38 corresponded to oral and 23 to poster contributions. The Book of Abstracts also included General information on ERB, Organization the 16<sup>th</sup> Biennial Conference ERB 2016, Technical visit and Abstracts, and is available [here](http://www.ci.uc.pt/imar/erb2014/)<sup>1</sup>.

Stimulating discussions abounded and the interest of the contributors for hydrology (small basins) was obvious. The conference was completed by a notable fieldwork day at the Voinești Experimental Basin - 7 September 2016. Fifty-four delegates participated in this fieldwork. Film footage of the conference and snapshot picture can be viewed or downloaded from web site [conference](http://www.erb2016.com/conference-snashots)<sup>2</sup>.

### **Papers presented**

In 2015, Holko et al. published a paper in which they described previous ERB conference

(<http://www.ci.uc.pt/imar/erb2014/>), and summarizing paper contributions submitted to the Journal of Hydrology and Hydromechanics. Continuing this precious initiative we found a journal "Geographical Phorum - Geographical studies and environment protection research", for includes contributions presented at the ERB 2016 conference.

Therefore, this special issue contains papers presented at the conference and submitted for inclusion in the Special Issue: "HYDROLOGICAL BEHAVIOUR IN SMALL BASINS UNDER CHANGING CONDITIONS". Each manuscript submitted was assigned to one of the ERB Editorial Advisory and Review Board. The Editor's decision regarding publication is based on the assessments and reports of independent referees. The thirteen papers contained a variety of hydrology subjects. A short statement on each paper is as follows:

i) in their contribution, **Abrantes et al.** evaluate the applicability of an infrared thermography technique relying on cooling the soil surface with cold water for assessing soil water repellency (SWR) severity under field conditions; results of this study

<sup>1</sup> - [http://media.wix.com/ugd/aaa9d1\\_e330d6c4066845618223dcc6af6e0c77.pdf](http://media.wix.com/ugd/aaa9d1_e330d6c4066845618223dcc6af6e0c77.pdf)

<sup>2</sup> - <http://www.erb2016.com/conference-snashots>

suggest that is worthwhile to explore this technique; only extensive testing can, in fact, validate the technique and reveal its suitability under different field conditions (e.g., surface roughness, surface cover, spatial scale);

ii) **Budzisz and Cieśliński** estimated the effect of changes in groundwater level on selected plant communities in wetland areas (Piaśnickie Łąki); the paper provides a detailed hydrographic analysis of wetland areas including information on water migration pathways, water recharge systems and sources of water loss;

iii) **Osyrov et al.** presents results for the analysis conducted on nutrient loads to the river from the non-point sources in the small agricultural Holovesnya River Catchment (Ukraine), by means of hydrological process-based SWAT model; acceptable results were achieved for nitrogen and phosphorus loads;

iv) in their contribution, **Neculau and Stan** provide a valuable information about evaporation and evapotranspiration rates in Romania; their work can be used for determining indirectly evaporation and evapotranspiration rates at the micro-scale: on a multi-year period, evaporation ranged from 300 mm - 800 mm/year, with the highest values recorded in the south east of the country and the Danube Floodplain (over 1,000 mm/year), western part (over 800 mm/year) and the lowest values registered in the mountain areas (less than 400 mm/year); evapotranspiration vary between 300 mm/year and 625 mm/year, with a maximum of over 650 mm/year in the plains and a minimum of less than 300 mm/year in the mountains;

v) the paper by **Mătreacă et al.** presents an integrated approach for preparation of flash flood hazard maps using different threshold values and indices methods; the methods are based on the influence of the main physical-geographical factors on the rainfall-runoff processes; authors conclude that the methodology, is a robust approach suitable for the first general assessment of flash flood hazard determination in small basins and it can be applied to large areas;

vi) **Caloiero et al.** evaluate experimental the role of forests in the hydrological processes which occur in a headwater basin draining a Calabrian pine forest (*Pinus laricio* Poiret); results of this work evidenced the effect of a silvicultural practice on the runoff response thus showing that an appropriate forest management can have a key role in water management at basin scale;

vii) **Roel and Lisette** investigate with field experiments hydrologic parameters in the small basaltic aquifers and modelling water transport on Skaftafellsheiði (Iceland); the authors detect that: quick discharge response on rainfall events, but also rather constant base flow during dryer periods when discharge observations in streams are combined

with groundwater head observations, it is possible to calibrate a rather simple groundwater flow model and obtain reasonable hydraulic conductivity values for the basalt layers; the model layers do not reflect single basalt layers of sub-aquifers, but represent multiple flows and thus resemble representative elementary units;

viii) **Mocanu et al.** analyse some of the decision factors when you are faced with decisions related to how to construct a water-management Information and Communication Technologies (ICT) support tool; Mocanu et al. suggest that that data processing related research directions that need strong ICT support are very demanding in our days, considering the variety and complexity of the research field, and the necessity of targeted, specialized research teams, able to deal with different perspectives, but with deep expertise in one of them;

ix) a contribution by **Osadcha et al.** deals with field experiments about peculiarities and establish quantitative parameters of leaching of organic matter of humic nature and iron from the wetlands, as well as to evaluate the role of certain processes influencing the migration of iron with the river runoff; the research was conducted at the experimental base (small runoff plot) of the Ukrainian Hydro-Meteorological Institute, located in the forest-steppe zone of Ukraine (Boguslavka River); during the snowmelt, exclusively a subsurface runoff was formed; the values of distribution characteristics of two main fractions of humic substances - humic and fulvic acids - between the solid phase of peat and water runoff were obtained; a methodology has been proposed to predict emission of humic substances and iron into water runoff of the Pripjat River;

x) **Kulasova et al.** paper discusses the influence of extreme rainfall on flow, soil moisture, nutrients, and tracer pathways in two agricultural experimental sites: Královský and Smržovský (Jizera Mountains, Czech Republic); the authors use several field experiments both on a meadow and in forest with sprinkling and runoff plots; the results correspond to results from rainfall-runoff events, when extreme rainfall causes the wash off of the soil into the stream; the change in Olsen P on the pasture slope was less than 1 mg/kg of dry matter of soil while on the catchment used for crops it was larger than 10 mg/kg;

xi) **Krammer et al.** evaluate performance of the HYDROBOD - obtaining a GIS - based hydrological soil database and a runoff coefficient calculator for Lower Austria; in the State of Lower Austria, it is an acknowledged method to use rainfall-runoff models when estimating flood peak discharges for small catchments where there are no direct gauging observations; the project HYDROBOD intends to provide a solid and homogeneous database of some

basic soil hydraulic parameters over the whole state area (over 19,000 km<sup>2</sup>) and contains a hydrological model for estimation of these runoff coefficients which takes into account some relevant input variables; in a first step (HYDROBOD I), hydraulic soil parameters are calculated by regionalization methods and assembled for the whole area of Lower Austria, using a GIS-database (50 x 50 m<sup>2</sup>) and in a second step (HYDROBOD II), a vertical one-dimensional event model was set up which allows to calculate storm event runoff coefficients on a cell-by-cell basis for any given area in Lower Austria.

xii) **Cieśliński et al.** present results from quantity of wastewater entering the Gulf of Gdańsk - which is part of the Baltic Sea and identify main determinants potentially affecting water quality in rivers flowing across the city of Sopot; investigation has shown that none of the 6 studied rivers experienced concentrations of total nitrogen above the norm accepted in Poland for Class 1 water quality (5 mg·dm<sup>-3</sup>); the 6 small rivers discussed in this paper contribute 0.002% of the biogenic load supplied to the Baltic Sea by Poland as a whole; the annual load supplied by all 6 rivers in the Sopot city area during the study period was ~4,300 kg for total nitrogen and ~370 kg for total phosphorus;

xiii) **Minea et al.** examine the temporal rainfall properties at events scale in the Curvature Subcarpathians at Voinești Experimental Basin (Romania), during in the warm semester (the period between 1 April and 30 September; 1980-2010); rainfall events was characterized by small depth (up to 15.7 mm; up to 90<sup>th</sup> percentile) ~ 93%, and they were concentrated (34.4%) in May; almost half of rainfall events (48.2%), had short duration (up to one hour) and the smallest depth (95% confidence interval, 3.85–4.56 mm), while those with durations longer than 5 hours (10.5%) were specific the September (22.5%); regarding maximum intensities of rainfall events just 16 events exceeding 1 mm/min (0.86%), which denote insignificant occurrence - encountered phenomenon in all months, especially in August - and mild torrential character.

## Acknowledgements

We specially thank National Institute of Hydrology and Water Management; Romanian Association of Hydrological Sciences and SCIENTIFIC COMMITTEE of 16<sup>th</sup> Biennial Conference ERB: Hubert HOLZMANN, ERB coordinator (Austria), Niko VERHOEST (Belgium), Miroslav TESAR, (Czech Republic), Daniel VIVILLE (France), Britta SCHMALZ (Germany), Luca BROCCA (Italy), Edvinas STONEVICIUS (Lithuania), Christophe HISSLER (Luxembourg), Piet WARMERDAM (The Netherlands), Johannes DEELSTRA (Norway), Janusz SIWEK

(Poland), João de LIMA (Portugal), Gianina NECULAU (Romania), Sergey ZHURAVIN (Russia), Ladislav HOLKO (Slovakia), Mitja BRILLY (Slovenia), Jérôme LATRON (Spain), and Liudmyla GORBACHOVA (Ukraine).

It gives us a great pleasure to thank all of the authors for their contributions to the special issue. We also thank the editor in chief, *Professor Sandu BOENGIU Ph.D.* (Faculty of Sciences, Department of Geography - University of Craiova) of the **Forum geografic**, for the opportunity to publish this special issue.

Thank you to all our reviewers for generously sharing your time, insight, and expertise with *manuscript* authors in the evaluation of their work. The Guest Editors gratefully acknowledge the commitment of all the reviewers and colleagues, who supported us in the publication of this Special Issue on: "*HYDROLOGICAL BEHAVIOUR IN SMALL BASINS UNDER CHANGING CONDITIONS*".

We hope you enjoy this Special Issue.

## References

- Abrantes, J.R.C.B., de Lima, J.L.M.P., Prats, S.A., & Keizer, J.J., Field assessment of soil water repellency using infrared thermography. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Budzisz, M. & Cieśliński R., Effect of changes in groundwater levels on selected wetland plant communities. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Osypov, V., Osadcha, N. & Osadchyi, V., SWAT model application for simulating nutrients emission from an agricultural catchment in Ukraine. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Necualu, G. & Stan, F.I., Evaporation and evapotranspiration in Romania. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Mătreacă, M., Mătreacă, S., Costache, R.D., Mihalcea, A., & Manolache A.V., Assessment of flash flood hazard maps using different threshold values and indices methods. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Tommaso, C., Corrado, B., Giovanni, C., Alessio, C., Raffaele, F., Mauro, M., GIORGIO, M., Gaetano, P., & Antonella V., Results of a long-term study on an experimental watershed in southern Italy. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Roel, D., & Lisette, A., Measuring and modeling water transport on Skaftafellsheiði, Iceland.



- Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Mocanu, M., Cristea, V., Dobre, C., & Pop, F., Smart Data for ICT-based Water Management. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Osadchyi, V., Guzienko, I., Nabyvanets, Y., & Artemenko, V., Field Experimental Studies of the Leaching of Humic Substances from the Peat Soils and Estimation of their Role in Dissolved Iron Transportation. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Kulasova, A., Blazkova, S.D., & Parma, P., The Influence of Extreme Rainfall on Flow, Soil Moisture, Nutrients and Tracer Pathways. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Krammer, C., Klebinder, K., Eder, A., Sotier, B., Strauss, P., & Bauer, T., HYDROBOD: obtaining a GIS-based hydrological soil database and a runoff coefficient calculator for Lower Austria. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Cieśliński, R., Pietruszyński, Ł., Budzisz, M., Ossowska, A., & Olszewska, A., Pollution load released into the Bay of Gdańsk by small river catchments in the coastal city of Sopot in northern Poland. *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Minea, G., Iliescu, M., & Dedu F., Temporal rainfall properties at events scale in the Curvature Subcarpathians (Romania). *Forum geografic*, XV(Suppl. 1), 2016 (in press), DOI: 10.5775/fg.2016.070.i
- Holko, L., Holzmann, H., Lima, M.I.P., & de Lima, J.L. (2015). Hydrological research in small catchments—an approach to improve knowledge on hydrological processes and global change impacts. *Journal of Hydrology and Hydromechanics*, 63(3), 181-182.
- Holko, L., & Miklánek, P. (2003). *Interdisciplinary approaches in small catchment hydrology: Monitoring and research*. Proceedings. IHP-VI, Technical Documents in Hydrology, No. 67 UNESCO, Paris.
- Minea, G., Pătru G., & Neculau G. (Eds), Book of Abstracts - HYDROLOGICAL BEHAVIOUR IN SMALL BASINS UNDER CHANGING CONDITIONS, (2016), Editura Didactică și Pedagogică, București, ISBN: 978-606-31-0297-4. [http://media.wix.com/ugd/aaa9d1\\_e330d6c4066845618223dcc6af6e0c77.pdf](http://media.wix.com/ugd/aaa9d1_e330d6c4066845618223dcc6af6e0c77.pdf)
- ERB website: <http://erb-network.simdif.com/>  
The 15<sup>th</sup> Biennial Conference ERB2014, website conference: <http://www.ci.uc.pt/imar/erb2014/>

# Field Assessment of Soil Water Repellency Using Infrared Thermography

João R.C.B. ABRANTES<sup>1,\*</sup>, João L.M.P. DE LIMA<sup>1</sup>, Sérgio A. PRATS<sup>2</sup>, Jacob J. KEIZER<sup>2</sup>

<sup>1</sup> Marine and Environmental Sciences Centre, Department of Civil Engineering, Faculty of Science and Technology, Universidade de Coimbra, Rua Luís Reis Santos, Pólo II – Universida de Coimbra, 3030-788 Coimbra, Portugal

<sup>2</sup> Centre for Environmental and Maritime Studies, Department of Environment and Planning, University of Aveiro, Campus Universitário de Santiago, 3810-193 Aveiro, Portugal

\* Corresponding author, [jrcbrito@msn.com](mailto:jrcbrito@msn.com)

Received on <07-11-2016>, reviewed on <07-12-2016>, accepted on <16-01-2016>

## Abstract

This study aimed to evaluate the applicability of an infrared thermography technique relying on cooling the soil surface with cold water for assessing soil water repellency (SWR) severity under field conditions.

This study is a follow-up of earlier exploratory small-scale laboratory tests, where SWR spatial variability was mapped and repellent areas could be clearly detected on the thermal imaging due to their higher temperatures, thus distinguishing them from the remaining wettable areas.

Field tests were carried out, where both natural and artificial SWR were mapped through thermal imaging, using a portable infrared video camera. Cold water was used to create a temperature gradient on the soil surface in order to assess SWR.

Naturally repellent soils were found in a pine and eucalyptus forest and artificial SWR was induced with a waterproofing spray.

The molarity of an ethanol droplet (MED) test was used to measure both natural and artificial SWR severity.

The technique was, in overall terms, successful in mapping SWR spatial variability, distinguishing repellent from wettable areas as well as distinguishing different levels of SWR severity.

Only extensive testing can, ultimately, validate the technique and reveal its suitability in different field conditions (e.g., surface roughness, surface cover, spatial scale).

**Keywords:** *soil water repellency, infrared thermography, field tests*

## Rezumat. Evaluarea în teren a impermeabilității apei în sol utilizând termografia în infraroșu

Acest studiu a avut drept scop evaluarea utilizării unei tehnici de termografie în infraroșu, bazându-se pe răcirea suprafeței solului cu apă rece, pentru a evalua impermeabilitate hidrică a solului (SWR) în condiții severe de teren. Acest studiu este o continuare a testelor de laborator anterioare de explorare la scară mică, în care variabilitatea spațială a SWR a fost cartată, iar zonele de respingere a putut fi detectate în mod clar pe imagini termice datorită temperaturilor lor mai mari, ceea ce a permis distingerea de perimetrele umectate. Testele de teren SWR au fost efectuate, în regim natural cât și artificial, iar cartografierea s-a efectuat prin imagistică termică, cu o camera video portabilă în infraroșu. Apa rece a fost folosit pentru a crea un gradient termic pe suprafața solului, în scopul de a evalua SWR. În mod natural, soluri hidrofuge au fost găsite într-o pădure de pin și eucalipt și SWR artificială a fost indusă cu un spray pentru impermeabilizare. Molaritatea unui test de etanol a picăturii (MED) a fost utilizată pentru a măsura severitatea SWR atât natural și artificială. În termeni generali, tehnica a fost un succes și a permis cartarea variabilității spațiale a SWR, diferențierea perimetrelor hidrofuge de cele zone hidrofile precum și niveluri distinctiv de severitate diferită a SWR. Numai testare extinsă poate, în cele din urmă, să valideze tehnica și să dezvăluie caracterul adecvat în condiții diferite de teren (de exemplu, rugozitate de suprafață, acoperirea terenului, scară spațială).

**Cuvinte-cheie:** *impermeabilitate hidrică a solului, termografiere în infraroșu, testele de teren*

## Introduction

Soil water repellency (SWR) is recognized as a key hydrological and geomorphological process since the earlier part of the 20<sup>th</sup> century. However, first observations of this phenomenon were reported in the later part of the 18<sup>th</sup> century (DeBano, 2000, Doerr et al., 2000). SWR is a major concern to hydrogeologists and land managers since it can alter infiltration and solute transport into the soil, enhancing surface runoff and associated erosion and affecting seed germination and plant growth, triggering land degradation processes (Keizer et al., 2005a; Leighton-Boyce et al. 2007; Ritsema and Dekker, 1994; Shakesby et al., 1993).

SWR is originated by the coating of soil particles with hydrophobic organic substances usually released by plants or decomposing plant material (Dekker and Ritsema, 1994; Keizer et al., 2005b). Repellent soils have been found in fire affected forest lands (Badía-Villas et al., 2014; Keizer et al., 2008; Mataix-Solera and Doerr, 2004), but also in pine and eucalypt forest lands not affected by fires and in agricultural lands with high soil organic matter content (Doerr et al., 2000, Keizer et al., 2007, Santos et al., 2013).

One of the most commonly used technique to measure SWR is the Molarity of an Ethanol Droplet (MED) test (Letey, 1969), which measures the surface tension between an ethanol solution and the soil surface to indirectly determine how strongly the water is repelled. It provides quantitative data, but the subsequent classification or characterization of